BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images, please do not report the images to the Image Problem Mailbox.



FIG.2

3 *Level Passive Matrix Switching Protocol*

- t_0: word line latched, active pulldown to 0
- t_1: bit line clamp released - sense amp on
- t_2: bit line decision - data latched
- t_3: word line returned to quiescent $V_s/2$
- t_4: write data latched on bit lines
- t_5: word line pulled to V_s - set/reset caps
- t_6: word line returned to quiescent $V_s/2$
- t_7: bit lines actively returned to V_s clamp
- t_8: read/write cycle complete

Maximum depolarizing voltage Vs/2



Sense Amps biased near V_s



FIG. 4

3 *Level Passive Matrix Switching Protocol*

- t_0: word line latched, active pull up to V_s
- t_1: bit line clamp released - sense amp on
- t_2: bit line decision - data latched
- t_3: word line returned to quiescent $V_s/2$
- t_4: write data latched on bit lines
- t_5: word line pulled to 0 - set/reset caps
- t_6: word line returned to quiescent $V_s/2$
- t_7: bit lines actively returned to 0 clamp
- t_8: read/write cycle complete

Maximum depolarizing voltage Vs/2





FIG. 5


0
1
2
3
4
5
6
7
8
9
10
11
12
Inactive WL
Active WL
Active BL
Inactive BL
V,
0
clear all cells to 0
set appropriate cells
0 state cells
1 state cells
Read Cycle
Write Cycle
Read Cycle
Write Cycle

FIG. 6.



FIG. 7

Five Level Timing Diagram



FIG. 9



FIG. 10



FIG. 11


0
1
2
3
4
5
6
7
8
9
10
11
12
Inactive WL
Active WL
Active BL
Inactive BL
V_{cc}
V_s
0
clear all cells to 0
set appropriate cells
0 state cells
1 state cells
Read Cycle
Write Cycle
Read Cycle
Write Cycle

FIG.12



FIG. 14

EXAMPLE OF READ AND WRITE PROTOCOL INVOLVING A PRE-READ REFERENCE CYCLE.



FIG.15